Name	
Date	
Physician	

Low Back Oswestry

This questionnaire has been designed to give the therapist information as to how your injury has affected your ability to manage in everyday life. Please answer **EVERY** section and mark in each section only the **ONE** box, which applies to you. We realize you may consider that two of the statements in any one section relate to you but mark the box, which most clearly describes your problem using the injured side.

our problem using the injured side.	
	SECTION 6 – Standing
SECTION 1 – PAIN INTENSITY	I can stand as long as I want without pain.
The pain comes and goes and is very mild.	I have some pain on standing but it does not increase with time.
The pain is mild and does not vary much.	I cannot stand for longer than one hour without increasing pain.
The pain comes and goes and is moderate.	I cannot stand for longer than ½ hour without increasing pain.
The pain is moderate and does not vary much.	I cannot stand for longer than 10 minutes without increasing
The pain comes and goes and is severe.	pain.
The pain is severe and does not vary much.	I avoid standing because it increases pain straight away.
SECTION 2 – PERSONAL CARE (washing, dressing, etc.)	SECTION 7 – Sleeping
I would not have to change my way of washing or dressing to	I get no pain in bed.
avoid pain.	I get pain in bed but it does not prevent me from sleeping well.
I do not normally change my way of washing or dressing even	Because of pain my normal nights sleep is reduced by less than
though it causes some pain.	1/4.
Washing and dressing increase the pain but I manage not to	Because of pain my normal nights sleep is reduced by less than
change my way of doing it.	1/2.
Washing and dressing increase the pain and I find it necessary	Because of pain my normal nights sleep is reduced by less than
to change my way of doing it.	3/4.
Because of the pain I am unable to do some washing and	Pain prevents me from sleeping at all.
dressing without help.	
Because of the pain I am unable to do any washing and dressing	SECTION 8 – Social Life
without help.	My social life is normal and gives me no pain.
•	My social life is normal but increases the degree of pain.
SECTION 3 – Lifting	Pain has no significant effect on my social life apart from
I can lift heavy weights without extra pain.	limiting my more energetic interests, e.g. dancing, etc.
I can lift heavy weights but it causes pain.	Pain has restricted my social life and I do not go out very often.
Pain prevents me from lifting heavy weights off the floor.	Pain has restricted my social life to my home.
Pain prevents me from lifting heavy weights off the floor but I	I have hardly any social life because of pain.
can manage if they are conveniently positioned, e.g. on a table.	r mayo matary any social mic seculos of paint
Pain prevents me from lifting heavy weights but I can manage	SECTION 9 – Traveling
light to medium weights if conveniently positioned.	I get no pain while traveling.
I can only lift very light weights at the most.	I get some pain while traveling but none of my usual forms of
	travel make it any worse.
SECTION 4 – Walking)	I get extra pain while traveling but it does not compel me to
I have no pain on walking.	seek alternative forms of travel.
I have some pain on walking but it does not increase with	I get extra pain while traveling which compels me to seek
distance.	alternative forms of travel.
I cannot walk more than one mile without increasing pain.	Pain restricts all forms of travel.
I cannot walk more than ½ mile without increasing pain.	Pain restricts all forms of travel except that done lying down.
I cannot walk at all without increasing pain.	z um resureus um rorms er um er eneept uma dene rymg de vim
I avoid walking because it increases pain straight away.	SECTION 10 – Changing Degree Of Pain
	My pain is rapidly getting better.
SECTION5 – Sitting	My pain fluctuates but overall is definitely getting better.
I can sit in a chair as long as I like.	My pain seems to be getting better but improvement is slow at
I can only sit in my favorite chair as long as I like.	present.
Pain prevents me from sitting more than one hour.	My pain is neither getting better or getting worse.
Pain prevents me from sitting more than 30 minutes.	My pain is included getting oction of getting worseMy pain is gradually getting worse.
Pain prevents me from sitting more than 10 minutes.	My pain is gradually getting worseMy pain is rapidly worsening.
I avoid sitting because it increases pain straight away.	pain is ruptary worsening.

Total _____/50